

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L10	193	((slave or second\$3) adj (processor or microprocessor or CPU)) near6 ((local or internal or own) near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:07
L11	15	L10 same identif\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:33
L12	9	L10 with identif\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:28
L13	1173	identif\$7 near6 ((master or slave or first or primary or second\$3) adj (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:55
L14	11	13 same ((local or internal or own) near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:43
L15	5	13 with ((local or internal or own) near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:37
L16	15	stor\$3 near6 (((slave or second\$3) adj (processor or microprocessor or CPU)) near3 (identif\$7 near2 (information or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:41
L17	216	stor\$3 near6 ((identif\$7 near2 (information or data)) near3 (volatile near2 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:55
L18	0	17 same 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:43
L19	0	17 same ((slave or second\$3) adj (processor or microprocessor or CPU))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:46

L20	2	17 same ((local or internal or own) near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:43
L21	575	stor\$3 near6 ((identif\$7 near2 (information or data)) near3 ((volatile near2 memory) or RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:46
L22	0	21 same ((slave or second\$3) adj (processor or microprocessor or CPU))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:44
L23	1	21 same ((slave or second\$3) near2 (processor or microprocessor or CPU))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:45
L24	166	((slave or second\$3) adj (processor or microprocessor or CPU)) near6 (identif\$7 near2 (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:48
L25	4	24 same ((volatile near2 memory) or RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:56
L26	11	((plurality or multiple) adj (processor or microprocessor or CPU)) near6 (identif\$7 near2 (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:50
L27	2	"5617537".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:50
L28	0	13 same 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:55
L29	0	13 same ((identif\$7 near2 (information or data)) near3 (volatile near2 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:55

L30	286	13 same (identif\$7 near2 (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:55
L31	270	13 with (identif\$7 near2 (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:55
L32	12	30 same ((volatile near2 memory) or RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:58
L33	7	31 with ((volatile near2 memory) or RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:57
L34	153	(master or primary or first) adj (processor or microprocessor or CPU) near6 (identif\$7 near2 (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:00
L35	32	(master or primary or first) adj (processor or microprocessor or CPU) near6 (stor\$3 near3 (identif\$7 near2 (information or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:08
L36	2	35 same ((volatile near2 memory) or RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:59
L37	26	(master or primary or first) adj (processor or microprocessor or CPU) near6 ((slave or second\$3) near3 (identif\$7 near2 (information or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:01
L38	19	((slave or second\$3) adj (processor or microprocessor or CPU)) near6 ((local or internal or own) near3 ((volatile near2 memory) or RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:30
L39	0	38 same (identif\$7 near2 (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:08

L40	0	38 same identif\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:08
L41	2	((multiple or plurality) near2 (processor or microprocessor or CPU)) near6 ((local or internal or own) near3 ((volatile near2 memory) or RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:11
L42	7	(stor\$3 near2 (boot adj code)) near6 ((local or internal or own) near3 ((volatile near2 memory) or RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:15
L43	7	(stor\$3 near2 (boot adj code)) same ((local or internal or own) near3 ((volatile near2 memory) or RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:17
L44	15	(boot adj code) near6 ((local or internal or own) near3 ((volatile near2 memory) or RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:19
L45	113	boot\$3 near6 ((slave or second\$3) adj (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:18
L46	2	45 same ((local or internal or own) near3 ((volatile near2 memory) or RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:36
L47	929	(select\$3 or choos\$3) near6 ((slave or second\$3) adj (processor or microprocessor or CPU))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:35
L48	134	(identif\$7 near2 (information or data)) same ((local or internal or own) near3 ((volatile near2 memory) or RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:32
L49	47	(identif\$7 near2 (information or data)) with ((local or internal or own) near3 ((volatile near2 memory) or RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:32

L50	0	47 same 48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:32
L51	0	47 with 49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:32
L52	24	47 same (identif\$7 near2 (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:35
L53	15	47 with (identif\$7 near2 (information or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:35
L54	387	((slave or second\$3) adj (processor or microprocessor or CPU)) near2 (identif\$7 or ID\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:40
L55	27	47 same 54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:37
L56	11	47 with 54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:37
L57	0	55 same ((local or internal or own) near3 ((volatile near2 memory) or RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:38
L58	0	55 same ((volatile near2 memory) or RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:39
L59	57	54 same (select\$3 or choos\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:38

L60	31	54 with (select\$3 or choos\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:38
L61	0	59 same ((local or internal or own) near3 ((volatile near2 memory) or RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:39
L62	1	59 same ((local or internal or own) near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:39
L63	6	54 same ((volatile near2 memory) or RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:42
L64	3	54 with ((volatile near2 memory) or RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:40
L65	5	stor\$3 near3 (((slave or second\$3) adj (processor or microprocessor or CPU)) near2 (identif\$7 or ID\$1)) near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:41
L66	6	(stor\$3 or load\$3) near3 (((slave or second\$3) adj (processor or microprocessor or CPU)) near2 (identif\$7 or ID\$1)) near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:42
L67	30	(stor\$3 or load\$3) near3 (((slave or second\$3) adj (processor or microprocessor or CPU)) near2 (identif\$7 or ID\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:03
L68	2	67 same ((volatile near2 memory) or RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 11:56
L69	0	(firmware near2 (upgrad\$3 or updat\$3)) near6 ((multiple or plurality) near3 ((slave or second\$3) adj (processor\$1 or microprocessor\$1 or CPU\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:02

L70	7	(firmware near2 (upgrad\$3 or updat\$3)) near6 ((slave or second\$3) adj (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:01
L71	676	identif\$7 near6 ((slave or second\$3) adj (processor or microprocessor or CPU))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:02
L72	0	71 same (firmware near2 (upgrad\$3 or updat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:02
L73	17	71 same ((stor\$3 or load\$3) near3 ((identif\$7 or ID\$1) near3 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:04
L74	13	71 with ((stor\$3 or load\$3) near3 ((identif\$7 or ID\$1) near3 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 12:04
L75	27	("5448698").URPN.	USPAT	OR	OFF	2005/07/29 12:05
S1	294	synchronous adj static adj random adj access adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 10:05
S2	0	S1 with (dual adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 07:52
S3	1397	(dual adj port adj random adj access adj memory) or DPRAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 07:54
S4	889	synchronous adj ((static adj random adj access adj memory) or SRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 07:56
S5	55	S4 same (boot\$1 or initializ\$5 or reboot\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:01

S6	13	S4 with (boot\$1 or initializ\$5 or reboot\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:10
S7	43	S5 same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:11
S8	3	S6 with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:10
S9	468	(boot\$1 or initializ\$5 or reboot\$3) near6 ((static adj random adj access adj memory) or SRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:13
S10	218	S9 same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:13
S11	146	S9 with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:11
S12	280	(boot\$1 or initializ\$5 or reboot\$3) near3 ((static adj random adj access adj memory) or SRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:19
S13	125	S12 same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:18
S14	79	S12 with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:14
S15	95	(boot\$1 or initializ\$5 or reboot\$3) near ((static adj random adj access adj memory) or SRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:18



S16	39	S15 same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:20
S17	16	S15 with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:18
S18	3	(boot\$1 or initializ\$5 or reboot\$3) near3 (synchronous adj ((static adj random adj access adj memory) or SRAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:19
S19	12	(boot\$1 or initializ\$5 or reboot\$3) near6 (synchronous adj ((static adj random adj access adj memory) or SRAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:20
S20	3	(boot\$1 or initializ\$5 or reboot\$3) near3 (synchronous adj ((static adj random adj access adj memory) or SRAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:34
S21	12	S19 same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:20
S22	3	S19 with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:20
S23	225	((boot\$1 or initializ\$5 or reboot\$3) near3 (plurality or multiple)) near6 (processor\$ or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:36
S24	18	S23 same (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:38
S25	15	S23 with (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:34

S26	0	S24 same (synchronous adj ((static adj random adj access adj memory) or SRAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:38
S27	0	S23 same (synchronous adj ((static adj random adj access adj memory) or SRAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:35
S28	267	(boot\$1 or initializ\$5 or reboot\$3) near6 ((plurality or multiple) near3 (processor\$ or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:38
S29	0	S28 same (synchronous adj ((static adj random adj access adj memory) or SRAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:38
S30	29	S28 same (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:38
S31	25	S28 with (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 08:38
S32	2589	(load\$3 or stor\$3 or writ\$3) near6 ((boot\$3 or initializ\$5) near2 (code or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 09:21
S33	5	S32 same (synchronous near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 09:22
S34	1	S32 with (synchronous near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/10 09:22
S35	2	"5898869".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 10:05

S36	2	"4943911".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 10:06
S37	19	("4943911").URPN.	USPAT	OR	OFF	2005/07/21 11:19
S38	8	("4237533"   "4459664"   "4491914"   "4530051"   "4539637"   "4543627"   "4590556"   "4720812").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 11:42
S39	12	("5898869").URPN.	USPAT	OR	OFF	2005/07/21 11:44
S40	5	("4943911"   "5329579"   "5537654"   "5659680"   "5687346").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 11:49
S41	3	"483318".ap.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 11:50
S42	8	("20010052067"   "5379431"   "5664194"   "5799186"   "5940627"   "5951685"   "5987605"   "6446139").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 11:55
S43	6	"707121".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 12:03
S44	134	("5388267").URPN.	USPAT	OR	OFF	2005/07/21 12:05
S45	2	"969596".ap.	USPAT	OR	OFF	2005/07/21 12:06
S46	2	"174064".ap.	USPAT	OR	OFF	2005/07/21 12:07
S47	0	"174064".pn.	USPAT	OR	OFF	2005/07/21 12:12
S48	39	(Miller and Gerald and David).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 12:16
S49	2	(Morse and Raymond and Keith).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 12:14
S50	2	S48 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 12:16
S51	9	("5448716").URPN.	USPAT	OR	OFF	2005/07/21 12:17

S52	14	(US-5898869-\$ or US-4943911-\$ or US-6295603-\$ or US-6233663-\$ or US-5687073-\$ or US-5530943-\$ or US-5450576-\$ or US-5448716-\$ or US-4720812-\$ or US-6389486-\$ or US-6601167-\$ or US-6446139-\$ or US-5799186-\$ or US-5388267-\$). did.	USPAT	OR	OFF	2005/07/21 13:29
S53	0	S52 and (synchronous adj static adj random adj access adj memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 13:31
S54	2	S52 and (static adj random adj access adj memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 13:30
S55	1	S52 and (dual adj port adj random adj access adj memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 13:32
S56	2	S52 and (dual adj port near2 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 13:49
S57	24	((pull adj (down or up)) near2 (network or resistor)) near6 ((ramdom adj access adj memory) or RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:03
S58	6	S57 same (synchronous or static or SRAM or SSRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:04
S59	3	S57 with (synchronous or static or SRAM or SSRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:02
S60	0	((pull adj (down or up)) near2 (network or resistor)) near6 (synchronous near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:04

S61	175	((pull adj (down or up)) near2 (network or resistor)) near6 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:04
S62	17	S61 same (synchronous or static or SRAM or SSRAM or ((ramdom adj access adj memory) or RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:26
S63	16	S61 with (synchronous or static or SRAM or SSRAM or ((ramdom adj access adj memory) or RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:05
S64	0	(synchronous near2 memory) near6 ((pull adj (down or up)) near2 (network or resistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:19
S65	2	(synchronous near3 memory) same ((pull adj (down or up)) near2 (network or resistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:15
S66	1	((pull adj (down or up)) near2 (network or resistor)) near6 (memory near2 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:20
S67	84	((pull adj (down or up)) near2 (network or resistor)) near6 (data near2 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:28
S68	0	S67 same ((coupl\$3 or connect\$3) near2 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:18
S69	1	S67 same (synchronous near2 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:19
S70	3	((pull adj (down or up)) near2 (network or resistor)) near6 (memory near3 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:21

S71	11	S67 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:23
S72	5	S67 with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:21
S73	787	((synchronous adj ramdom adj access adj memory) or SRAM) near6 (data near2 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:35
S74	4	S73 same ((pull adj (down or up)) near2 (network or resistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:36
S75	5	("6215727"   "6347367"   "6370053"   "6377510"   "6424555").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 14:30
S76	7	("5343503"   "5448591"   "5687330"   "5802395"   "6043694"   "6049476"   "6111757").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 14:33
S77	787	((static adj ramdom adj access adj memory) or SRAM) near6 (data near2 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:46
S78	83	S77 same synchronous\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:48
S79	23	S77 with synchronous\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:36
S80	2	S78 same ((pull adj (down or up)) near2 (network or resistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:48
S81	2	S79 with ((pull adj (down or up)) near2 (network or resistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:36

S82	8663	((random adj access adj memor\$3) or RAM\$1) or ((static adj ramdom adj access adj memor\$3) or SRAM\$1)) near6 (data near2 bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:47
S83	338	S82 same synchronous\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:48
S84	2	S83 same ((pull adj (down or up)) near2 (network or resistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:53
S85	18	S82 same ((pull adj (down or up)) near2 (network or resistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:49
S86	4	S82 with ((pull adj (down or up)) near2 (network or resistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 14:49
S87	2	S83 same ((pull adj (down or up)) near2 (network or resistor or resister))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:05
S88	19	(no adj op) near6 (boot\$5 or reboot\$3 or (start adj up) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:10
S89	23	("4137562"   "4304001"   "4688168"   "4942571"   "4969147"   "5138709"   "5251208"   "5274783"   "5367678"   "5445128"   "5615404"   "5623610"   "5694555"   "5742847"   "5815516"   "5909556"   "5946215"   "5978875"   "6013108"   "6115713"   "6195724"   "6273771"   "6600972").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 15:08
S90	63	((no adj operation) or (no adj op)) near6 (boot\$5 or reboot\$3 or (start adj up) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:17

S91	68	((no adj operation) or (no adj op)) near6 (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:18
S92	16	S91 same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:18
S93	3	S91 with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:12
S94	543	((no adj operation) or (no adj op)) same (boot\$5 or reboot\$3 or (start adj up) or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:17
S95	576	((no adj operation) or (no adj op)) same (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:19
S96	130	((no adj operation) or (no adj op)) with (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:18
S97	133	S95 same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:19
S98	17	S96 with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:19
S99	826	((no adj operation) or (no adj op) NOP) same (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:25
S10 0	182	((no adj operation) or (no adj op) NOP) with (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:27



S10 1	196	S99 same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:37
S10 2	25	S100 with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:23
S10 3	16	S101 same (data adj bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:26
S10 4	1	S102 with (data adj bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:20
S10 5	2317	(insert\$3 or issu\$3 or execut\$3) near6 ((no adj operation) or (no adj op) NOP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:25
S10 6	31	S105 same (data adj bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:29
S10 7	17	S105 with (data adj bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:27
S10 8	0	S106 same (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:49
S10 9	2425	(insert\$3 or issu\$3 or execut\$3) near6 ((no adj operation) or (no adj op) NOP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:29
S11 0	32	S109 same (data adj bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:37

S11 1	17	S109 with (data adj bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:29
S11 2	12	("4701847").URPN.	USPAT	OR	OFF	2005/07/21 15:35
S11 3	815	S109 same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:44
S11 4	367	S109 with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:37
S11 5	14	S113 same (data adj bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:37
S11 6	5	S114 with (data adj bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:43
S11 7	39	((no adj operation) or (no adj op) NOP) near6 (data adj bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:48
S11 8	25	S117 same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:03
S11 9	19	S117 with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:44
S12 0	723	((no adj operation) or (no adj op) NOP) near6 (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:02
S12 1	37	S120 same (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:57

S12 2	15	S120 with (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:49
S12 3	3013	((no adj operation) or (no adj op) NOP) same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:56
S12 4	1240	((no adj operation) or (no adj op) NOP) with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:03
S12 5	196	S123 same (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:57
S12 6	431	S123 same (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:57
S12 7	58	S124 with (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:02
S12 8	26	S126 same (data adj bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:00
S12 9	2	S127 with (data adj bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 15:58
S13 0	3479	(reliabl\$1 or dependa\$3) near6 (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:04
S13 1	0	S130 same S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:02

S13 2	0	S130 same ((no adj operation) or (no adj op) NOP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:04
S13 3	197	S130 same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:03
S13 4	117	S130 with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:03
S13 5	0	S133 same ((no adj operation) or (no adj op) NOP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:05
S13 6	12092	(reliabl\$1 or dependa\$3) same (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:05
S13 7	5525	(reliabl\$1 or dependa\$3) with (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:05
S13 8	3	S136 same ((no adj operation) or (no adj op) NOP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:13
S13 9	21777	(stable or regular or constant or steady) near6 clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:21
S14 0	29	S139 same ((no adj operation) or (no adj op) NOP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:22
S14 1	6	S139 with ((no adj operation) or (no adj op) NOP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:13

S14 2	11	("4901283"   "5517137"   "5544124"   "5557579"   "5586077"   "5666321"   "5749086"   "5751656"   "5889719"   "5898635"   "5986959").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 16:17
S14 3	28397	(stable or regular or constant or steady or contin\$3) near6 clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:21
S14 4	25485	(stable or regular or constant or steady or continuous) near6 clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:32
S14 5	33	S144 same ((no adj operation) or (no adj op) or NOP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:45
S14 6	7	S144 with ((no adj operation) or (no adj op) or NOP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:28
S14 7	24	("5587961").URPN.	USPAT	OR	OFF	2005/07/21 16:30
S14 8	719	((no adj operation) or (no adj op) or NOP).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:35
S14 9	39	S148 and S143	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:36
S15 0	7	S144 same (memory near2 initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:43
S15 1	11	("5224124"   "5615159"   "5677885"   "5736867"   "5751641"   "5760607"   "5875353"   "5983314"   "6178501"   "6246623"   "6246626").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 16:42
S15 2	16576	(stable or regular or constant or steady or continuous) near3 clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:38

S15 3	2018	S152 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:43
S15 4	20	S152 same (memory near6 initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:52
S15 5	8	S152 with (memory near6 initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:51
S15 6	0	S154 same ((no adj operation) or (no adj op) or NOP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:52
S15 7	2	("4654787"   "6003121").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 16:49
S15 8	11	("6226729").URPN.	USPAT	OR	OFF	2005/07/21 16:49
S15 9	97	S152 same (synchronous near6 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:21
S16 0	40	S152 with (synchronous near6 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 16:55
S16 1	2	S159 same ((no adj operation) or (no adj op) or NOP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:20
S16 2	4	("5754838"   "6192003"   "6240048"   "6256260").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 16:54
S16 3	402	(stable or regular or constant or steady or continuous) near6 ((processor\$1 or microprocessor\$1 or CPU\$1) near3 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:21

S16 4	2	S163 same ((no adj operation) or (no adj op) or NOP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:21
S16 5	162	(stable or regular or constant or steady or continuous) near3 ((processor\$1 or microprocessor\$1 or CPU\$1) near2 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:21
S16 6	6	S165 same (synchronous near6 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:25
S16 7	6	S165 with (synchronous near6 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:22
S16 8	7	S163 same (synchronous near6 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:24
S16 9	2683	(inser\$3 or issu\$3 or execut\$3 or plac\$3) near6 ((no adj operation) or (no adj op) NOP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:19
S17 0	214	S169 same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:25
S17 1	91	S169 with bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:25
S17 2	1	S170 same (synchronous near6 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:28
S17 3	6	"627853".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:27

S17 4	21	S169 same (synchronous near6 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:30
S17 5	3	S169 with (synchronous near6 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:28
S17 6	49	S169 same ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:35
S17 7	21	S169 with ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:31
S17 8	7	S163 same ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:36
S17 9	6	S163 with ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:36
S18 0	1	S170 same ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:22
S18 1	352	SSRAM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:38
S18 2	0	S152 same S181	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:38
S18 3	163	S152 same ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:39



S18 4	68	S152 with ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:39
S18 5	6	S183 and (International adj Business adj Machines).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:41
S18 6	10	("20040019815"   "20040030853"   "20040062137"   "3624281"   "5878094"   "5893917"   "6088206"   "6177833"   "6396887"   "6426668").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 17:40
S18 7	1	S183 and (Intel).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:44
S18 8	6	("20020036922"   "20020078316"   "6021082"   "6115823"   "6141283"   "6618791").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 17:42
S18 9	24	S183 and (Micron).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 17:44
S19 0	407	(insert\$3 or issue\$3 or execute\$3 or place\$3 or submit\$4) near6 (((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:22
S19 1	45	S190 same ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:06
S19 2	16	S190 with ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:24
S19 3	1	S191 same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:35

S19 4	16	S190 same ((stable or regular or constant or steady or continuous) near6 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:48
S19 5	1	S190 with ((stable or regular or constant or steady or continuous) near6 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:32
S19 6	17	(((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1)) same ((stable or regular or constant or steady or continuous) near6 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:35
S19 7	2	(((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1)) with ((stable or regular or constant or steady or continuous) near6 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:46
S19 8	142	(((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1)) same ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:47
S19 9	110	(((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1)) with ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:35
S20 0	29	S198 same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:37
S20 1	1	S199 with bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:35
S20 2	0	("6286069").URPN.	USPAT	OR	OFF	2005/07/22 10:42
S20 3	4	("5659690"   "5953746"   "6148398"   "6160561").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/22 10:42
S20 4	122	(((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1)) same (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:11

S20 5	248	(((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1)) same (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:47
S20 6	123	(((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1)) with (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:47
S20 7	1	S205 same ((stable or regular or constant or steady or continuous) near6 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:06
S20 8	1	S206 with ((stable or regular or constant or steady or continuous) near6 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:49
S20 9	15	S205 same ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:57
S21 0	1	S206 with ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 10:50
S21 1	4	("4716303").URPN.	USPAT	OR	OFF	2005/07/22 10:54
S21 2	49	S205 same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:00
S21 3	5	S206 with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:05
S21 4	49847	(processor\$1 or microprocessor\$1 or CPU\$1) near6 (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:18

S21 5	267	S214 same ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:14
S21 6	83	S214 with ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:06
S21 7	1	S215 same ((stable or regular or constant or steady or continuous) near6 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:13
S21 8	6	S215 same (reliabl\$1 or depend\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:09
S21 9	0	S216 with (reliabl\$1 or depend\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:09
S22 0	1	S215 same (((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:16
S22 1	9	S214 same (((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:12
S22 2	1	S214 with (((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:12
S22 3	157	S214 same ((stable or regular or constant or steady or continuous) near6 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:18
S22 4	60	S214 with ((stable or regular or constant or steady or continuous) near6 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:14

S22 5	1	S223 same ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:48
S22 6	59	S223 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:15
S22 7	4	S224 with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:15
S22 8	0	S226 same (((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:18
S22 9	12	S226 same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:17
S23 0	0	S223 same (((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:19
S23 1	51035	memory near6 (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:26
S23 2	85	S231 same ((stable or regular or constant or steady or continuous) near6 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:19
S23 3	25	S231 with ((stable or regular or constant or steady or continuous) near6 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:26
S23 4	0	S232 same (((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:19

S23 5	21	S231 same (((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:36
S23 6	10	S231 with (((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:19
S23 7	59	((reliabl\$1 or depend\$5 or stable or regular or constant or steady or continuous) near3 clock) near6 ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:28
S23 8	1	S237 same (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:37
S23 9	0	S237 same (((no adj operation) or (no adj op) or NOP) near2 command\$1) or (dummy adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:28
S24 0	284	((reliabl\$1 or depend\$5 or stable or regular or constant or steady or continuous) near3 clock) same ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:35
S24 1	128	((reliabl\$1 or depend\$5 or stable or regular or constant or steady or continuous) near3 clock) with ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:28
S24 2	19	S240 same (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:39
S24 3	2	S241 with (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:28
S24 4	10	("20040019815"   "20040030853"   "20040062137"   "3624281"   "5878094"   "5893917"   "6088206"   "6177833"   "6396887"   "6426668").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/22 11:32

S24 5	3495	((reliabl\$1 or depend\$5 or stable or regular or constant or steady or continuous) near3 clock) same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:46
S24 6	1616	((reliabl\$1 or depend\$5 or stable or regular or constant or steady or continuous) near3 clock) with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:35
S24 7	15	S245 same (((no adj operation) or (no adj op) or NOP) near2 command\$1) or ((dummy or idle) adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:38
S24 8	0	S246 with (((no adj operation) or (no adj op) or NOP) near2 command\$1) or ((dummy or idle) adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:36
S24 9	1121	((boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4) near2 sequenc\$3) near6 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:37
S25 0	1	S249 same (((no adj operation) or (no adj op) or NOP) near2 command\$1) or ((dummy or idle) adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:39
S25 1	358	((no adj operation) or (no adj op) or NOP) near2 command\$1) or ((dummy or idle) adj cycle\$1)) near6 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:44
S25 2	23	S251 same (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:45
S25 3	14	S251 with (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:43
S25 4	222	((no adj operation) or (no adj op) or NOP) near2 command\$1) or ((dummy or idle) adj cycle\$1)) near6 (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:46

S25 5	12	S254 same (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:02
S25 6	6	S254 with (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:45
S25 7	0	S254 same ((reliabl\$1 or depend\$5 or stable or regular or constant or steady or continuous) near3 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:49
S25 8	1	S254 same ((reliabl\$1 or depend\$5 or stable or regular or constant or steady or continuous) near6 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:46
S25 9	544	(((no adj operation) or (no adj op) or NOP) near2 command\$1) or ((dummy or idle) adj cycle\$1)) same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:52
S26 0	294	(((no adj operation) or (no adj op) or NOP) near2 command\$1) or ((dummy or idle) adj cycle\$1)) with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:47
S26 1	0	S259 same ((reliabl\$1 or depend\$5 or stable or regular or constant or steady or continuous) near3 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:47
S26 2	1	S259 same ((reliabl\$1 or depend\$5 or stable or regular or constant or steady or continuous) near6 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:49
S26 3	7	S259 same ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:59
S26 4	4	S260 with ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:48



S26 5	208	S259 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:49
S26 6	63	S260 with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:49
S26 7	0	S265 same ((reliabl\$1 or depend\$5 or stable or regular or constant or steady or continuous) near3 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:49
S26 8	35	S265 same (reliabl\$1 or depend\$5 or stable or regular or constant or steady or continuous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:58
S26 9	1	S266 with (reliabl\$1 or depend\$5 or stable or regular or constant or steady or continuous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:49
S27 0	98	((((no adj operation) or (no adj op) or NOP) near2 command\$1) or ((dummy or idle) adj cycle\$1)) near6 sequenc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:53
S27 1	36	S270 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:54
S27 2	16	S270 with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:52
S27 3	363	((((no adj operation) or (no adj op) or NOP) near2 command\$1) or ((dummy or idle) adj cycle\$1)) same sequenc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:36
S27 4	135	((((no adj operation) or (no adj op) or NOP) near2 command\$1) or ((dummy or idle) adj cycle\$1)) with sequenc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:54

S27 5	144	S273 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:37
S27 6	26	S274 with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:54
S27 7	715	(generat\$3 or inser\$3 or issu\$3 or execut\$3 or plac\$3 or submit\$4) near6 (((no adj operation) or (no adj op) or NOP) near2 command\$1) or ((dummy or idle) adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:39
S27 8	236	S277 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:58
S27 9	132	S277 with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:58
S28 0	41	S278 same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:00
S28 1	12	S279 with bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 11:58
S28 2	55	S277 same ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:47
S28 3	18	S277 with ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:00
S28 4	73	S278 same clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:00

S28 5	8	S279 with clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:00
S28 6	50	(((no adj operation) or (no adj op) or NOP) near2 command\$1) or ((dummy or idle) adj cycle\$1)) same (memory near6 (initializ\$5 or power\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:50
S28 7	21	(((no adj operation) or (no adj op) or NOP) near2 command\$1) or ((dummy or idle) adj cycle\$1)) with (memory near6 (initializ\$5 or power\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 12:02
S28 8	14	("5278792").URPN.	USPAT	OR	OFF	2005/07/22 12:04
S28 9	3	("5022077"   "5136713"   "5210875").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/22 12:34
S29 0	760	(((no adj operation) or (no adj op) or NOP) near2 (command\$1 or instruction\$1)) or ((dummy or idle) adj cycle\$1)) same sequenc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:37
S29 1	334	(((no adj operation) or (no adj op) or NOP) near2 (command\$1 or instruction\$1)) or ((dummy or idle) adj cycle\$1)) with sequenc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:37
S29 2	301	S290 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:40
S29 3	44	S291 with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:38
S29 4	70	S292 same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:40
S29 5	6	S293 with bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:38

S29 6	1868	(generat\$3 or inser\$3 or issu\$3 or execut\$3 or plac\$3 or submit\$4) near6 (((no adj operation) or (no adj op) or NOP) near2 (command\$1 or instruction\$1)) or ((dummy or idle) adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:16
S29 7	517	S296 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:56
S29 8	223	S296 with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:40
S29 9	79	S297 same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:49
S30 0	18	S298 with bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:44
S30 1	18	S299 same clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:44
S30 2	23	S290 same ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:57
S30 3	2	S291 with ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:47
S30 4	56	S296 same ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:49
S30 5	19	S296 with ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:49

S306	1	S304 same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:49
S307	0	S305 with bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:49
S308	68	(((no adj operation) or (no adj op) or NOP) near2 (command\$1 or instruction\$1)) or ((dummy or idle) adj cycle\$1)) same (memory near6 (initializ\$5 or power\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:55
S309	22	(((no adj operation) or (no adj op) or NOP) near2 (command\$1 or instruction\$1)) or ((dummy or idle) adj cycle\$1)) with (memory near6 (initializ\$5 or power\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:52
S310	12	S308 same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:56
S311	1505	(((no adj operation) or (no adj op) or NOP) near2 (command\$1 or instruction\$1)) or ((dummy or idle) adj cycle\$1)) same (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:55
S312	768	(((no adj operation) or (no adj op) or NOP) near2 (command\$1 or instruction\$1)) or ((dummy or idle) adj cycle\$1)) with (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:10
S313	494	S311 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:56
S314	122	S312 with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:56
S315	137	S313 same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:08

S31 6	25	S314 with bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:56
S31 7	8	S311 same ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:58
S31 8	4	S312 with ((synchronous near6 memory) or SSRAM or SDRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 14:59
S31 9	900	synchronous adj ((static adj random adj access adj memory) or SRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:08
S32 0	74	S319 same (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:08
S32 1	25	S319 with (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:02
S32 2	29	("20010022752"   "20020020885"   "4918663"   "5400294"   "5404331"   "5473562"   "5555166"   "5557579"   "5768206"   "5880988"   "5898625"   "5976926"   "5982682"   "6002610"   "6081464"   "6103579"   "6157558"   "6163476"   "6198670"   "6198682"   "6288966"   "6330195"   "6337813"   "6341088"   "6373756"   "6388933"   "6496422"   "6529421"   "6556487").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/22 15:04
S32 3	3686	((static adj random adj access adj memory) or SRAM) same (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:08
S32 4	1554	((static adj random adj access adj memory) or SRAM) with (boot\$5 or reboot\$3 or (start adj up) or initializ\$5 or (power adj (on or up)) or reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:08

S32 5	399	S323 same synchronous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:08
S32 6	125	S324 with synchronous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:08
S32 7	93	S325 same bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:09
S32 8	7	S326 with bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:09
S32 9	3	S323 same (((no adj operation) or (no adj op) or NOP) near2 (command\$1 or instruction\$1)) or ((dummy or idle) adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:10
S33 0	1	S324 with (((no adj operation) or (no adj op) or NOP) near2 (command\$1 or instruction\$1)) or ((dummy or idle) adj cycle\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:10
S33 1	32	(US-4701847-\$ or US-4720812-\$ or US-4827149-\$ or US-4943911-\$ or US-5278792-\$ or US-5388267-\$ or US-5448716-\$ or US-5450576-\$ or US-5530943-\$ or US-5587961-\$ or US-5687073-\$ or US-5799186-\$ or US-5894446-\$ or US-5898869-\$ or US-5959929-\$ or US-6044429-\$ or US-6134180-\$ or US-6233663-\$ or US-6286069-\$ or US-6286077-\$ or US-6295603-\$ or US-6298004-\$ or US-6327196-\$ or US-6347367-\$ or US-6389486-\$ or US-6438062-\$). did. or (US-6446139-\$ or US-6549975-\$ or US-6590827-\$ or US-6601167-\$ or US-6678832-\$ or US-6363439-\$).did.	USPAT	OR	OFF	2005/07/22 15:16
S33 2	11	S331 and S296	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:24

S33 3	0	S331 and ((multiple or plurality) near2 (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:25
S33 4	6	S331 and (master or slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/22 15:25
S33 5	11	((synchronous adj ((static adj random adj access adj memory) or SRAM)) or SSRAM) near3 advantage\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:12
S33 6	154	((synchronous adj ((static adj random adj access adj memory) or SRAM)) or SSRAM) near3 (using or use\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:09
S33 7	4	S336 same advantage\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:10
S33 8	1	S336 with advantage\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:10
S33 9	23	((synchronous adj ((static adj random adj access adj memory) or SRAM)) or SSRAM) near6 advantage\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:12
S34 0	901	synchronous adj ((static adj random adj access adj memory) or SRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 14:38
S34 1	10	S340 same (dual adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 14:38
S34 2	5	S340 with (dual adj port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 14:39



S34 3	35	(US-4701847-\$ or US-4720812-\$ or US-4827149-\$ or US-4943911-\$ or US-5278792-\$ or US-5388267-\$ or US-5448716-\$ or US-5450576-\$ or US-5530943-\$ or US-5546355-\$ or US-5587961-\$ or US-5687073-\$ or US-5799186-\$ or US-5894446-\$ or US-5898869-\$ or US-5959929-\$ or US-6044429-\$ or US-6134180-\$ or US-6233663-\$ or US-6272067-\$ or US-6286069-\$ or US-6286077-\$ or US-6295603-\$ or US-6298004-\$ or US-6327196-\$ or US-6347367-\$). did. or (US-6363439-\$ or US-6389486-\$ or US-6438062-\$ or US-6446139-\$ or US-6549975-\$ or US-6590827-\$ or US-6601167-\$ or US-6678832-\$ or US-6061274-\$). did.	USPAT	OR	OFF	2005/07/28 18:46
S34 4	0	S343 and (resistor near2 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:47
S34 5	1930	((provid\$3 or supply\$3) near3 clock) near6 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:51
S34 6	1	S345 same (slave adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:52
S34 7	0	(slave adj processor) near6 (memory near2 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:50
S34 8	840	(provid\$3 or supply\$3) near6 (memory near2 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:57
S34 9	1	S348 same (slave adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:52

S35 0	167	S348 same (processor or microprocessor or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:53
S35 1	136	S348 with (processor or microprocessor or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:53
S35 2	1	S350 same slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:53
S35 3	3	S350 same master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:53
S35 4	2	S351 with master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:54
S35 5	3643	((slave or second\$3) adj (processor or microprocessor or CPU)) near6 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:03
S35 6	181	S355 same clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:57
S35 7	82	S355 with clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:57
S35 8	25	((slave or second\$3) adj (processor or microprocessor or CPU)) near6 ((provid\$3 or supply\$3) near3 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:08
S35 9	3	S358 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:06

S36 0	3	S358 with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:58
S36 1	12	((slave or second\$3) adj (processor or microprocessor or CPU)) near6 (memory near2 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:03
S36 2	1930	((provid\$3 or supply\$3) near3 clock) near6 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:08
S36 3	8	S362 same ((slave or second\$3) adj (processor or microprocessor or CPU))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:18
S36 4	5	S362 with ((slave or second\$3) adj (processor or microprocessor or CPU))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:09
S36 5	126	((slave or second\$3) adj (processor or microprocessor or CPU)) near6 (clock near2 signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:24
S36 6	35	S365 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:21
S36 7	21	S365 with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:19
S36 8	25	((slave or second\$3) adj (processor or microprocessor or CPU)) near6 (memory near3 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:34
S36 9	1	((slave or second\$3) adj (processor or microprocessor or CPU)) near6 (independent near2 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:29

S37 0	1	((slave or second\$3) adj (processor or microprocessor or CPU)) near6 (independent near3 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:29
S37 1	25	((slave or second\$3) adj (processor or microprocessor or CPU)) same(independent near2 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:31
S37 2	2	((slave or second\$3) adj (processor or microprocessor or CPU)) with (independent near2 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:29
S37 3	25	((slave or second\$3) adj (processor or microprocessor or CPU)) near6 ((provid\$3 or supply\$3) near3 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:33
S37 4	3	S373 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:33
S37 5	69	((slave or second\$3) adj (processor or microprocessor or CPU)) near6 (generat\$3 near2 clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:34
S37 6	10	S375 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:42
S37 7	8	S375 with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:34
S37 8	51	("4368514").URPN.	USPAT	OR	OFF	2005/07/28 19:36
S37 9	193	((slave or second\$3) adj (processor or microprocessor or CPU)) near6 ((local or internal or own) near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 07:58
S38 0	0	S379 same ((provid\$3 or supply\$3) near6 clock\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 10:27

S38 1	11	S379 same (clock\$1 or (clock adj signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 07:44
S38 2	6	S379 with (clock\$1 or (clock adj signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 07:43
S38 3	82	S379 same (access\$3 or read\$3 or writ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 07:44
S38 4	67	S379 with (access\$3 or read\$3 or writ\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 07:44
S38 5	5	S383 same (clock\$1 or (clock adj signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 07:46
S38 6	1	S384 with (clock\$1 or (clock adj signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 07:44
S38 7	42	S379 same (memory near2 (access\$3 or read\$3 or writ\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 07:45
S38 8	34	S379 with (memory near2 (access\$3 or read\$3 or writ\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 07:49
S38 9	3	S387 same (clock\$1 or (clock adj signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 07:46
S39 0	3	S379 same ((independent\$2 or (stand adj alone) or standalone) near3 operat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 07:56

S39 1	25	(data adj bus) near6 ((resistor or resister) near2 ((pull adj down) or pulldown))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 08:18
S39 2	0	S391 same S379	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 07:58
S39 3	0	S391 same ((slave or second\$3) adj (processor or microprocessor or CPU))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 07:59
S39 4	2	(data adj bus) near6 (((pull adj down) or pulldown) near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 08:12
S39 5	395	(((pull adj down) or pulldown) near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 08:02
S39 6	6	S395 same (data adj bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 08:02
S39 7	2	S395 with (data adj bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 08:03
S39 8	6	(data adj bus) same (((pull adj down) or pulldown) near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 08:14
S39 9	2	(data adj bus) with (((pull adj down) or pulldown) near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 08:12
S40 0	10	("5630088").URPN.	USPAT	OR	OFF	2005/07/29 08:13
S40 1	181	(data adj bus) near2 terminat\$3	USPAT	OR	OFF	2005/07/29 08:13

S40 2	0	S401 same (((pull adj down) or pulldown) near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 08:16
S40 3	1	S401 same ((resistor or resister) near2 ((pull adj down) or pulldown))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 08:18
S40 4	1	("6593768").URPN.	USPAT	OR	OFF	2005/07/29 08:14
S40 5	5	("5680065"   "5781028"   "6256682"   "6279060"   "6415342").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/29 08:14
S40 6	2	S401 same ((pull adj down) or pulldown)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 08:16
S40 7	110	(data adj bus) near6 ((pull adj down) or pulldown)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 08:18
S40 8	34	S407 same (resistor or resister)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 08:18
S40 9	29	S407 with (resistor or resister)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 08:48
S41 0	2	("20020027480"   "5398261").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/29 08:19
S41 1	2	"4648063".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/29 08:48